Subject Index to Volume 65

A

Acclimatization
to heat, effects on blood volume responses to thermal stress and exercise, 186–187
Acetylcholine
differentiation and development of, effects of corticosteroids on, 980–981
in CNS of adult organisms, effects of corticosteroids on, 997–998
Action potentials
in myotonia congenita, 328
Actomyosin
actomyosin ATPase system, energetic characterization of, 499–518
hydrolysis of ATP, calorimetry of, 493–499
hydrolysis of ATP, kinetic mechanism, 486–493
Adaptation, physiological
cold tolerance in insects, 799–832
cold hardiness of active insects, 801–803
definitions of important concepts, 800–801
freeze tolerance, physiological basis of, 813–822
adaptive significance of freeze tolerance, 821–822
chemical structure of ice-nucleating agents, 816
effect of polyols on cold hardiness of freeze-tolerant insects, 819
effect of polyols on supercooling points of freeze-tolerant insects, 818
extracellular ice-nucleating agents in freeze-tolerant insects, 814
mechanism of action of ice-nucleating agents, 816–817
mechanism of cryoprotective effect of polyols in freeze-tolerant insects, 819–820
nature of freezing injuries in freeze-tolerant insects, 817
physiological function of extracellular ice-nucleating agents, 814–816
polyols and carbohydrates in freeze-tolerant insects, 818
role of bound water in freeze-tolerant insects, 820–821
insect species changing their cold-hardiness strategy, 824–825
Adenosine triphosphatase
in biological energy transduction, general features of, 537–542
alternation between fundamental conformational states, 539–540
energetics of ATPase cycle, 540–542
involvement of specific ligands and their translocation in ATP hydrolysis, 538–539
membrane ATPases in myotonic dystrophy, 339
muscle ATPase mechanisms, thermodynamic analysis of, 467–551
energetic characterization of actomyosin ATPase system, 499–518
energetics of ATP hydrolysis, 483–486
interpretation of data, 478–483
kinetic mechanism of ATP hydrolysis by myosin and actomyosin, 486–493
mechanism and energetics of ATP hydrolysis by Ca^{2+}-pump ATPase, 519–537
methods of analysis, 469–475
reaction calorimetry, 475–478
Adenosine triphosphatase, sodium, potassium
inhibitory activity in Na^+ transport, 708–736
Na^+ transport or Na^+-K^+-ATPase inhibitory activity in brain extracts, 727–731
Na^+ transport or Na^+-K^+-ATPase inhibitory activity of blood or plasma extracts from volume-expanded normal humans or animals, 717–723
Na^+ transport or Na^+-K^+-ATPase inhibitory activity of kidney tissue extracts, 726–727
Na^+ transport or Na^+-K^+-ATPase inhibitory activity of normal urine extracts, 723–726
Na^+ transport or Na^+-K^+-ATPase inhibitory activity of whole blood or

Adenosine triphosphatase, sodium, potassium (*continued*)
plasma from volume-expanded normal humans or animals, 709–716
Adenosine triphosphate
hydrolysis by Ca^{2+}-pump ATPase, mechanism and energetics of, 519–537
hydrolysis by myosin and actomyosin, calorimetry of, 493–499
hydrolysis by myosin and actomyosin, kinetic mechanism, 486–493
hydrolysis of, involvement of specific ligands and their translocation in, 538–539
hydrolysis of, thermodynamic analysis in study of muscle ATPase mechanisms, 483–486
ADH: *see* Vasopressins
Adrenal cortex hormones
biochemical effects on neural tissues, 946–1020
effects on brain growth and cell proliferation, 963–966
adrenalectomy studies, 965–966
corticosteroid administration, 963–964
effects on neurotransmitters in adult organisms, 990–1001
acetylcholine, 997–998
amino acids, 998–1000
catecholamines, 990–992
peptides, 1000–1001
serotonin, 993–997
other neurochemical effects of, 1001–1006
plasma level changes in pregnancy during exercise, 8, 9
regulation of glial cell differentiation, 981–990
glutamine synthetase, 981–984
glycerol-3-phosphate dehydrogenase, 984–988
other glial enzymes, 988–990
regulation of neurotransmitter differentiation and development, 966–981
acetylcholine, 980–981
catecholamines, 966–979
serotonin, 979–980
uptake and disposition in neural tissues, 947–962
corticosteroid receptors in neural tissues, 956–962
entry into brain, 948–949
methods of study, 947–948
regional and cellular localization, 949–956
Adrenal glands
unlikely as source of plasma natriuretic activity, 671–672
Adrenalectomy
use in study of effects of corticosteroids on brain growth and cell proliferation, 965–966
Afferent pathways
afferent mechanisms involved in control of natriuretic hormone, 680–685
distension of left auricle, 683–685
Aldosterone
effect on Na^+ permeability in epithelial cell membranes, 884–885
Alkaline phosphatase
activity in renal brush border membrane, role in phosphate transport, 438–439
Altitude
effects on blood volume responses to thermal stress and exercise, 192
Amino acids
influence on cold hardiness in insects, 822–823
integrated metabolism in fetus, 402–404
intestinal chemoreceptors for, 218
metabolism in fetal liver, 369–370
neurotransmitter substances in CNS of adult organisms, effects of corticosteroids on, 998–1000
radiolabeled acids, use in studies of somatostatin biosynthesis, 568–569
Aminopropionitrile
effect on connective tissue integrity, 633
Ammonium compounds
NH_4^+ transport in thick ascending limb of Henle's loop, 791–792
Angiotensin II
effects on vascular reactivity in normal rat in relation to effect of Na^+ intake, 737–738
Anoxia
effect on ion distribution in brain, 101–148
blood flow and energy metabolism, 136–137
brain interstitial space volume during anoxia, 117–119
changes in neurons and glial cells, 128–133
comparative aspects of ion changes, 126–128
interstitial ion concentration changes, 108–116
ion movements and energy metabolism in anoxia, 122–126

reversibility of ion derangement, 135–138
role of ion homeostasis in anoxic brain damage, 137–138
Anthracene-9-carboxylic acid
induction of myotonia, 341–342
Antidiuretic hormones: *see* Vasopressins
Ascorbic acid
role in maintaining connective tissue integrity, 635–637
influence on extracellular matrix composition, 635
prolyl and lysyl hydroxylase, 636–637
ATP: *see* Adenosine triphosphate
ATPase: *see* Adenosine triphosphatase
Azacholesterol
induction of myotonia, 342–344

B

Bicarbonates
HCO_3^- transport in thick ascending limb of Henle's loop, 791
Bioflavonoids
role in maintaining connective tissue integrity, 639
Bladder
epithelium in rabbit, Na^+- and K^+-permeable hybrid channels in, 892–893
Blood circulation
changes in pregnancy in response to exercise, 12–15
Blood gas analysis
in fetus during maternal exercise, 21–22
in pregnant mother during exercise, 10–11
Blood glucose
changes in pregnancy during exercise, 6–8
Blood proteins
see also Hemoglobin
content determination as measure of blood volume response to thermal stress and exercise, difficulties in interpretation, 176–185
hyperproteinemia in response to heat acclimatization, 186–187
hyperproteinemia in response to physical training, 187–188
Blood vessels
vascular reactivity in relation to Na^+ concentrations, 736–744
effect of acute changes in blood volume, 740–741
effect of alterations in external Na^+ concentration, 737
effect of imposing a persistent difficulty in excreting Na^+, 738–740
effect of Na^+ intake in normal rat, 737–738
further evidence that acute volume expansion may increase concentration of circulating substance that controls vascular reactivity, 741–742
Blood volume
acute changes in, effect on vascular reactivity, 740–741
acute expansion of, contribution to increased concentration of circulating substance that controls vascular reactivity, 741–742
effects of thermal stress and exercise in humans on, 149–209
cardiovascular responses to exercise, 154–155
early studies on, 152
individual differences in responses, 185–199
influence of altitude, 192
influence of gender, 197–199
influence of heat acclimatization on, 186–187
influence of hydration status, 193–197
influence of physical fitness on, 187–192
influence of status of subject on, 185–199
intravascular volume responses to exercise, 155–158
Is there a limit to hemoconcentration? 164–167
mechanisms of hemodilution and hemoconcentration, 151–152
thermal stress at rest, 152–154
use of hematocrit and hemoglobin in measurement of, difficulties in interpretation, 167–176
use of plasma protein content in measurement of, difficulties in interpretation, 176–185
expansion of, experiments demonstrating natriuretic properties in whole blood or plasma from normal humans and animals in, 664–671
Na^+ transport experiments with harvested proximal tubule fluid from volume-expanded animals tested in vivo, 716–717
Na^+ transport or Na^+-K^+-ATPase inhibitory activity of blood or plasma

Blood volume (*continued*)
extracts from volume-expanded normal humans or animals, 717–723
Na^+ transport or Na^+-K^+-ATPase inhibitory activity of whole blood or plasma from volume-expanded normal humans or animals, 709–716
Body fluids
see also Dehydration; Saliva
expansion of, association with rise in concentration of digoxin-like substance in normal humans and animals, 742–743
brain, 743
plasma, 742–743
urine, 743
expansion of, early experiments suggesting plasma might have natriuretic properties during, 659–664
hydration status, influence on blood volume response to thermal stress and exercise, 193–197
Body temperature
changes in fetus in response to maternal exercise, 21
changes in pregnancy in response to exercise, 9–10
Brain
see also Brain metabolism; Cerebral cortex; Corpus striatum; Electroencephalography; Hypothalamus; Pituitary gland, posterior; Substantia nigra
development in fetus, 391–394
myelination of perinatal brain, 392–393
structural development, 391–392
extraction of natriuretic activity from, 698–700
extracts containing natriuretic activity, Na^+ transport of Na^+-K^+-ATPase inhibitory activity of, 727–731
growth and cell proliferation, effects of corticosteroids on, 963–966
adrenalectomy studies, 965–966
corticosteroid administration, 963–964
involvement in hormonal mechanisms controlling urinary Na^+ excretion, 673–676
Brain metabolism
corticosteroid entry into brain, 948–949
energy metabolism and ion transport, 121–126
energy metabolism during spreading depression, 126
energy requirement for ion transport, 121–122
ion movements and energy metabolism in anoxia, 122–126
in fetus, 393–394
interstitial ion composition changes, 107–121
brain interstitial space volume during anoxia, 117–119
changes during anoxia, 108–116
changes during nervous activity, 107–108
changes during spreading depression of Leão, 116–117
interstitial ion inventory, 120–121
ion changes during anoxia, comparative aspects of, 126–128
cold-blooded animals, 127–128
gyrencephalic animals, 128
regional differences in brain, 128
young animals, 126–127
ion changes in neurons and glial cells during anoxia, 128–133
glial cell membrane potential, 129
mechanisms of membrane changes, 130–133
nerve cell membrane potential, 129
synaptic transmission, 129–130
ion concentrations in brain, 102–107
determination by ion-sensitive microelectrode, 102–103
interstitial concentrations, 103–104
intracellular concentrations, 104–107
ion derangement in anoxia, reversibility of, 135–138
blood flow and energy metabolism, 136–137
role of ion homeostasis in anoxic brain damage, 137–138
ion distribution in brain, effect of anoxia on, 101–148
membrane changes during spreading depression, 133–135
Brush border: *see* Microvilli

C

Calcitonin
influence on renal handling of phosphate, 456
Calcium
Ca^{2+}-pump ATPase, mechanism and energetics of ATP hydrolysis by, 519–537

Ca^{2+} transport in thick ascending limb of Henle's loop, 789
intracellular Ca^{2+} and monovalent cation transport: Ca^{2+}-dependent K^+ channels, 928–930
intracellular distribution in primary hypertension, alteration of membrane control over, 915–928
Ca^{2+} binding by membranes and cytoplasmic chelators, 916–918
Ca^{2+} transport across plasma membranes, 918–925
intracellular pools of Ca^{2+}, 925–927
Calcium channels: *see* Ion channels
Calorimetry
of ATP hydrolysis by myosin and actomyosin, 493–499
reaction calorimetry of muscle ATPase mechanisms, 475–478
Carbohydrates
accumulation in freeze-avoiding insects as protective measure, 805–806
accumulation in freeze-tolerant insects, 818
metabolism in fetal liver, 362–368
Cardiac output
distribution in pregnancy during exercise, 15–17
fetal response to maternal exercise, 22–24
Catecholamines
differentiation and development of, corticosteroid regulation of, 966–979
dopamine β-hydroxylase, 976–977
modulation of neurotransmitter choice, 977–979
phenylethanolamine *N*-methyltransferase, 966–973
tyrosine hydroxylase, 973–976
in CNS of adult organisms, effects of corticosteroids on, 990–992
Central nervous system
see also Brain
neurotransmitters in adult organisms, effects of corticosteroids on, 990–1001
acetylcholine, 997–998
amino acids, 998–1000
catecholamines, 990–992
peptides, 1000–1001
serotonin, 993–997
Cerebral cortex
see also Spreading cortical depression; Visual cortex
evoked potentials and EEG phenomena in cats, current source-density (CSD) analysis of, 37–100
complementary access of CSDs to brain function, 90
information processing in neocortex: one basic pattern of activation, 90–91
intracortical current source densities, relation between EEG phenomena and, 79–89
activation vs. modulation, 81–83
components of cortical activation and their reflection in EEG, 79–81
natural, artificially generated, and pathological EEG phenomena, 83–89
pericruciate cortex in cat, current source-density analysis and generalization to other cortical areas and species, 75–79
CSDs in allocortex, 78–79
CSDs in cat pericruciate cortex, 76–77
evoked potentials and CSDs in different neocortical areas and species, 77–78
Ceruloplasmin
biosynthesis and secretion of, 289–296
properties and functions of, 288–289
Chemoreceptors
intestinal, 211–237
acid and alkali receptors, 218–219
amino acid receptors, 218
characteristics of sensory intestinal fibers, 215
comparison with other known intestinal and nonintestinal receptors, 220–222
control of endocrine secretions, 230
control of food and water intake, 230–231
control of gastric acid secretion, 229
control of gastrointestinal motility, 227–228
control of intestinal circulation and absorption, 228
control of pancreatic secretions, 229
control of salivary secretions, 229–230
electrophysiological data, 216–222
general characteristics of, 220
glucoreceptors, 217–218
histological data, 213–216
mechanisms of activation of, 222–227
osmosensitive receptors, 219
other mucosal receptors, 219–220
pathways of sensory intestinal fibers, 213–215
role of, 227–231
specificity of, 222
structure of endings supporting chemosensitivity, 215–216

Chemoreceptors (*continued*)
nonintestinal receptors, comparison with intestinal chemoreceptors, 221–222
Chlorides
see also Sodium chloride
Cl^--permeable channels in epithelial membranes, 894–895
low Cl^- conductance theory of myotonia, 326
Cold
see also Freezing
cold hardening in insects, biochemical mechanisms involved in, 827–829
extracellular ice-nucleating agents, 829
polyols, 827–828
thermal hysteresis factors, 829
cold hardening in insects, effects of dehydration on, 826–827
cold hardiness in insects, solutes other than polyols that may have influence on, 822–824
free amino acids, 822–823
inorganic ions, 823–824
cold hardiness in insects, species changing their strategy, 824–825
cold hardiness of active insects, 801–803
cold hardiness of freeze-tolerant insects, effect of polyols on, 819
extremely low supercooling points in certain insects, 825–826
tolerance in insects, physiology of, 799–832
definitions of important concepts, 800–801
Collagen
metabolism of, 608–614, 617–619, 631–632
biosynthesis, 608–609
collagen translation products, 610
cross-linking, 617–619
posttranslational modifications, 610–613
turnover and degradation, 614
zinc relationship in, 631–632
Connective tissue
see also Connective tissue proteins
integrity of, nutrients important in maintenance of, 623–645
ascorbic acid, 635–637
bioflavonoids, 639
copper, 624–630
fat-soluble vitamins, 639–644
lathyrogens and inhibitors of collagen and elastin cross-linking, 633–635
manganese, 630–631
other mineral elements, 632–633
protein and calorie restriction, 644–645
pyridoxine, 637–638
riboflavin and other vitamins, 639
thiamine, 638–639
vitamin A, 640–641
vitamin D, 643–644
vitamin E, 642–643
vitamin K, 641–642
zinc, 631–632
Connective tissue proteins
see also Collagen; Elastin; Proteoglycans
biosynthesis, accumulation, and chemical modification of, role of selected nutrients in, 607–657
nutrients important in maintaining connective tissue integrity, 623–645
Copper
dietary levels, effects on metallothionein biosynthesis, 277–279
general functions of, 259–261
hepatic metabolism of, 261–272
efflux from hepatocytes, 271–272
intracellular compartmentalization, 268–270
uptake from plasma, 261–265
importance in maintaining connective tissue integrity, 624–630
copper deficiency and development, 625–626
copper-drug interactions, 628–629
examples of diet-gene interactions, 627–628
lysyl oxidase, 626–627
other nutrients and copper metabolism, 629–630
intestinal absorption of, 239–255
cellular uptake from intestinal lumen, 240–250
intracellular compartmentalization within intestinal cells, 250–254
transfer to portal circulation, 254–255
metabolism of, 238–309
plasma transport of, 255–256
Corpus striatum
striatonigral substance P, biosynthesis of, 562–563
Cortical depression, spreading: *see* Spreading cortical depression
Corticosteroids: *see* Adrenal cortex hormones

D

Dehydration
effects on cold hardening in insects, 826–827

20,25-Diazacholesterol: *see* Azacholesterol
Diet
zinc and copper levels, effects on metallothionein biosynthesis, 277–279
Digoxin
digoxin-like activity, 742–744
evidence of digoxin-like material in plasma and urine of patients with chronic renal failure, 743–744
evidence that expansion of body fluids is associated with rise in concentration of digoxin-like substance in normal humans and animals, 742–743
Diuretics
interaction in NaCl reabsorption in thick ascending limb of Henle's loop, 786–789
Dopamine β-hydroxylase
activity of, effects of corticosteroids on, 976–977
Drinking
water intake, role of intestinal chemoreceptors in, 230–231
Dynorphin: *see* Endorphins
Dystrophia myotonica: *see* Myotonia atrophica

E

Elastin
metabolism of, 614–617, 620
biosynthesis, 615–616
cross-linking, 620
definitions, 614–615
posttranslational modifications, 616
turnover, 617
Electroencephalography
EEG phenomena, relation to intracortical current source densities, 79–89
activation vs. modulation, 81–83
components of cortical activation and their reflection in EEG, 79–81
natural, artificially generated, and pathological EEG phenomena, 83–89
Electromyography
electrical signs in myotonia, 317–321
Electrophysiology
current source-density (CSD) analysis of primary evoked potentials in cat pericruciate cortex and generalization to other cortical areas and species, 75–79
CSDs in allocortex, 78–79
CSDs in cat pericruciate cortex, 76–77
evoked potentials and CSDs in different neocortical areas and species, 77–78
current source-density method, 39–56
experimental CSD studies, 42–44
interpretation of CSDs, 44–56
physical and physiological basis, 39–42
intracortical current source densities, relation between EEG phenomena and, 79–89
activation vs. modulation, 81–83
components of cortical activation and their reflection in EEG, 79–81
natural, artificially generated, and pathological EEG phenomena, 83–89
EMG: *see* Electromyography
Endorphins
see also Receptors, endorphin
biosynthesis of, 569–574
cell-free and tissue-culture studies, 572–573
dynorphin, 574
enkephalin, 570–572
in vivo studies, 573–574
enkephalin secretion, 584–586
regulation of release, 585–586
inactivation by enkephalinase, 587–589
interactions with their targets, 593–595
cellular consequences of opiate binding, 594–595
multiple opiate receptors, 593–594
Energy metabolism
biological energy transduction, general features of, 537–542
alternation between fundamental conformational states, 539–540
energetics of ATPase cycle, 540–542
involvement of specific ligands and their translocation in ATP hydrolysis, 538–539
energy expenditure in pregnant women in response to exercise, 6
muscle ATPase mechanisms, thermodynamic analysis of, 467–551
energetic characterization of actomyosin ATPase system, 499–518
energetics of ATP hydrolysis, 483–486
interpretation of data, 478–483
kinetic mechanism of ATP hydrolysis by myosin and actomyosin, 486–493
mechanism and energetics of ATP hydrolysis by Ca^{2+}-pump ATPase, 519–537
methods of analysis, 469–475
reaction calorimetry, 475–478

Energy metabolism (*continued*)
of brain and ion transport, 121–126
energy metabolism during spreading depression, 126
energy requirement for ion transport, 121–122
ion movements and energy metabolism in anoxia, 122–126
Enkephalins: *see* Endorphins
Epithelium
Cl^--permeable channels in, 894–895
function and organization of, 833–834
ion channels in, 833–903
definition as membrane tunnels, 834–836
electrically probing channel in situ, 836–840
K^+-permeable channels in, 840–864
apical cell membranes, 841–860
basolateral cell membranes, 860–863
frog skin, 850–859
gastrointestinal epithelia, 841–850
other epithelia, 859–860
Na^+- and K^+-permeable hybrid channels in, 889–894
amphibian kidney, 892
amphibian skin, 889–892
Ca^{2+}-activated cation channels, 893–894
mammalian urinary bladder, 892–893
Na^+-permeable channels in, 864–889
chemically modifying Na^+ permeability, 880–883
hormonally modifying Na^+ permeability, 884–889
metabolism and Na^+ permeability, 888
modification of apical Na^+ conductance by extra- and intracellular components, 868–880
osmotically modifying Na^+ permeability, 883–884
permeability characteristics, 865–868
Erythrocyte membrane
study in myotonic dystrophy, 339–340
Evoked potentials
electrically evoked potentials in cat visual cortex, current source-density (CSD) analysis of, 56–63
comparison of electrically and visually evoked CSDs, 63–66
information from CSDs, 61–63
interpretation of CSDs, 57–60
relation between potentials and CSDs, 57
in cerebral cortex of cat, current source-density analysis of, 37–100
complementary access of CSDs to brain function, 90
information processing in neocortex: one basic pattern of activation, 90–91
primary potentials in cat pericruciate cortex, current source-density analysis and generalization to other cortical areas and species, 75–79
CSDs in allocortex, 78–79
CSDs in cat pericruciate cortex, 76–77
evoked potentials and CSDs in different neocortical areas and species, 77–78
visually evoked potentials in cat visual cortex, current source-density analysis of, 63–75
comparison of electrically and visually evoked CSDs, 63–66
information from CSD analyses, 73–75
stimulus-specific properties of visually evoked CSDs, 66–73
Exercise
effects on blood volume in humans, 149–209
cardiovascular responses, 154–155
distinguishing postural from exercise hemoconcentration, 158–162
early history of studies on, 152
effects of posture at rest in heat, 162–163
individual differences in responses, 185–199
influence of altitude, 192
influence of gender, 197–199
influence of heat acclimatization on, 186–187
influence of hydration status, 193–197
influence of physical fitness on, 187–192
influence of status of subject on, 185–199
intravascular volume responses, 155–158
Is there a limit to hemoconcentration? 164–167
mechanisms of hemodilution and hemoconcentration, 151–152
use of hematocrit and hemoglobin in measurement of, difficulties in interpretation, 167–176
use of plasma protein content in measurement of, difficulties in interpretation, 176–185
fetal responses to maternal exercise, 19–24, 27–29
body temperature, 21
circulation, 22–24
fetal outcome, 27–29
oxygen consumption, 19–20
respiration and blood gases, 21–22

maternal responses during pregnancy, 1–18
body temperature, 9–10
cardiac-output distribution, 15–17
circulation, 12–15
endocrine changes, 8, 9
energy expenditure, 6
metabolism, 6–8
oxygen consumption, 2–5, 7
physical working capacity, 5–6
respiration and blood gases, 10–11
uterine oxygen consumption, 17–18
placental responses to maternal exercise, 24–27
Extracellular space
extracellular fluid volume, influence on renal phosphate handling, 458–459

F

Fatty acids, nonesterified
plasma level changes in pregnancy during exercise, 6–8
Feeding behavior
role of intestinal chemoreceptors in, 230–231
Fetal development
brain development, 391–394
metabolism of fetal brain, 393–394
myelination of perinatal brain, 392–393
structural development, 391–392
liver development and metabolism, 361–373
amino acid metabolism, 369–370
carbohydrate metabolism, 362–368
development of hormone sensitivity, 372–373
lipid metabolism, 368–369
mitochondrial metabolism, 371–372
protein and nucleic acid metabolism, 370–371
structural development, 361
lung development, 394–399
microscopic development, 394–395
pulmonary surfactant synthesis, 395–399
metabolism as functional assessment of, 357–430
skeletal muscle development, 381–391
differentiation of contractile properties, 384–386
humoral and neural regulation of muscle maturation, 389–391
metabolism of developing muscle, 386–389
ultrastructural and molecular development, 381–384
Fetal heart
development of, 373–381
contractile and associated regulatory proteins, 374–376
functional and ultrastructural maturation, 373–374
metabolism, 377–381
neural and humoral regulation of heart contractility, 376–377
responses to maternal exercise, 22–24
Fetus
integrated metabolism in, 399–404
amino acids, 402–404
glucose, 399–401
lipids, 401–402
metabolic development in, functional assessment of, 357–430
responses to maternal exercise, 19–24, 27–29
body temperature, 21
circulation, 22–24
fetal outcome, 27–29
oxygen consumption, 19–20
respiration and blood gases, 21–22
Freezing
avoidance by insects, physiological basis of, 803–813
chemical structure of thermal hysteresis agents, 813
effect of polyols on supercooling points of freeze-avoiding insects, 806–809
mechanisms of action of thermal hysteresis agents, 813
other effects of polyols in freeze-avoiding insects, 809
polyols and carbohydrates in freeze-avoiding insects, 805–806
problems associated with supercooled state, 809–810
removal or inactivation of ice-nucleating agents, 803–805
thermal hysteresis in insects, 810–813
What is thermal hysteresis? 810
effects in biological systems, 813–814
freeze tolerance, physiological basis of, 813–822
adaptive significance of freeze tolerance, 821–822
chemical structure of ice-nucleating agents, 816
effect of polyols on cold hardiness of freeze-tolerant insects, 819
effect of polyols on supercooling points of freeze-tolerant insects, 818

Freezing (*continued*)
extracellular ice-nucleating agents in freeze-tolerant insects, 814
mechanism of action of ice-nucleating agents, 816–817
mechanism of cryoprotective effect of polyols in freeze-tolerant insects, 819–820
nature of freezing injuries in freeze-tolerant insects, 817
physiological function of extracellular ice-nucleating agents, 814–816
polyols and carbohydrates in freeze-tolerant insects, 818
role of bound water in freeze-tolerant insects, 820–821

G

Ganglia, spinal
dorsal root ganglia substance P, biosynthesis of, 561–562
Gastric acid
secretion of, role of intestinal chemoreceptors in control of, 229
Gastrointestinal motility
control of, role of intestinal chemoreceptors, 227–228
Gastrointestinal system
see also Intestines
epithelial membranes of, K^+-permeable channels in, 841–850
Glucagon
plasma level changes in pregnancy during exercise, 8, 9
Glucose
see also Blood glucose
influence on renal handling of phosphate, 458
integrated metabolism in fetus, 399–401
intestinal glucoreceptors, 217–218
Glutamine synthetase
activity in glial tissue, corticosteroid regulation of, 981–984
Glycerol-3-phosphate dehydrogenase
activity in glial tissue, corticosteroid regulation of, 984–988

H

Heart
see also Cardiac output; Fetal heart
atrial extracts containing natriuretic activity, 700–702
left auricular distension, role in control of natriuretic hormone, 683–685
Heat
see also Calorimetry; Stress, thermal
acclimatization to, effects on blood volume responses to thermal stress and exercise, 186–187
Hematocrit
as index of intravascular volume response to thermal stress and exercise, difficulties in interpretation, 167–176
Hemodynamics
changes in pregnancy in response to exercise, 12–15
Hemoglobin
as index of intravascular volume response to thermal stress and exercise, difficulties in interpretation, 167–176
Henle's loop: *see* Loop of Henle
Homocysteine
effect on connective tissue integrity, 634–635
Hormones
role in regulation of metallothionein biosynthesis, 279–281
Hyperkalemia
hyperkalemic periodic paralysis, muscle properties and treatment of, 335–337
Hyperproteinemia: *see* Blood proteins
Hypertension
ion transport across plasma membrane in, 904–945
alteration of membrane control over intracellular Ca^{2+} distribution, 915–928
alteration of univalent cation transport, 906–915
defect of cell membranes and hypertension: mechanism of pathogenetic relation, 934–936
intracellular Ca^{2+} and monovalent cation transport: Ca^{2+}-dependent K^+ channels, 928–930
structural and molecular bases for alterations of membrane functions, 930–933
pathogenesis of, premises for formulation of membrane concept of, 904–906
Hypervolemia: *see* Blood volume
Hypothalamus
involvement in control of urinary Na^+ excretion, 673–674
possible site of natriuretic hormone production, 672–673

I

Ice-nucleating agents
chemical structure of, 816
extracellular, in freeze-tolerant insects, 814
extracellular, involvement in cold hardening in insects, 829
mechanism of action of, 816–817
physiological function of, 814–816
removal or inactivation by insects as physiological basis for freeze avoidance, 803–805

Insects
cold hardening in, biochemical mechanisms involved in, 827–829
extracellular ice-nucleating agents, 829
polyols, 827–828
thermal hysteresis factors, 829
cold hardening in, effects of dehydration on, 826–827
cold hardiness in, solutes other than polyols that may have influence on, 822–824
free amino acids, 822–823
inorganic ions, 823–824
cold tolerance in, physiology of, 799–832
cold hardiness of active insects, 801–803
definitions of important concepts, 800–801
freeze avoidance by, physiological basis of, 803–813
chemical structure of thermal hysteresis agents, 813
effect of polyols on supercooling points of freeze-avoiding insects, 806–809
mechanisms of action of thermal hysteresis agents, 813
other effects of polyols in freeze-avoiding insects, 809
polyols and carbohydrates in freeze-avoiding insects, 805–806
problems associated with supercooled state, 809–810
removal or inactivation of ice-nucleating agents, 803–805
thermal hysteresis in insects, 810–813
What is thermal hysteresis? 810
freeze tolerance in, physiological basis of, 813–822
adaptive significance of freeze tolerance, 821–822
chemical structure of ice-nucleating agents, 816
effect of polyols on cold hardiness of freeze-tolerant insects, 819
effect of polyols on supercooling points of freeze-tolerant insects, 818
extracellular ice-nucleating agents in freeze-tolerant insects, 814
mechanism of action of ice-nucleating agents, 816–817
mechanism of cryoprotective effect of polyols in freeze-tolerant insects, 819–820
nature of freezing injuries in freeze-tolerant insects, 817
physiological function of extracellular ice-nucleating agents, 814–816
polyols and carbohydrates in freeze-tolerant insects, 818
role of bound water in freeze-tolerant insects, 820–821
species changing their cold-hardiness strategy, 824–825
with extremely low supercooling points, 825–826

Insulin
influence on renal handling of phosphate, 457
plasma level changes in pregnancy during exercise, 8, 9
secretion of, role of intestinal chemoreceptors in, 230
sensitivity of muscle cell membrane in myotonic dystrophy, 340–341

Intestinal absorption
control of, role of intestinal chemoreceptors, 228
of copper and zinc, 239–255
cellular uptake from intestinal lumen, 240–250
intracellular compartmentalization within intestinal cells, 250–254
transfer to portal circulation, 254–255

Intestines
chemoreceptors of, 211–237
acid and alkali receptors, 218–219
amino acid receptors, 218
characteristics of sensory intestinal fibers, 215
comparison with other known intestinal and nonintestinal receptors, 220–222
control of endocrine secretions, 230
control of food and water intake, 230–231
control of gastric acid secretion, 229
control of gastrointestinal motility, 227–228

Intestines (*continued*)
control of intestinal circulation and absorption, 228
control of pancreatic secretions, 229
control of salivary secretions, 229–230
electrophysiological data, 216–222
general characteristics of, 220
glucoreceptors, 217–218
histological data, 213–216
mechanisms of activation of, 222–227
osmosensitive receptors, 219
other mucosal receptors, 219–220
pathways of sensory intestinal fibers, 213–215
role of, 227–231
specificity of, 222
structure of endings supporting chemosensitivity, 215–216
muscular tension receptors of, comparison with intestinal chemoreceptors, 221

Ion channels
Ca^{2+}-dependent K^+ channels in primary hypertension, intracellular Ca^{2+} and monovalent cation transport, 928–930
Cl^--permeable channels in epithelial membranes, 894–895
defects in myotonia congenita, 329–331
Cl^- channels, 329–330
Na^+ and K^+ channels, 330–331
in epithelial cell membranes, 833–903
definition as membrane tunnels, 834–836
electrically probing channel in situ, 836–840
K^+-permeable channels in epithelial membranes, 840–864
apical cell membranes, 841–860
basolateral cell membranes, 860–863
frog skin, 850–859
gastrointestinal epithelia, 841–850
other epithelia, 859–860
Na^+- and K^+-permeable hybrid channels in epithelial membranes, 889–894
amphibian kidney, 892
amphibian skin, 889–892
Ca^{2+}-activated cation channels, 893–894
mammalian urinary bladder, 892–893
Na^+-permeable channels in epithelial membranes, 864–889
chemically modifying Na^+ permeability, 880–883
hormonally modifying Na^+ permeability, 884–888
metabolism and Na^+ permeability, 888
modification of apical Na^+ conductance by extra- and intracellular components, 868–880
osmotically modifying Na^+ permeability, 883–884
permeability characteristics, 865–868

Ion transport
across plasma membrane in primary hypertension, 904–945
alteration of membrane control over intracellular Ca^{2+} distribution, 915–928
alteration of univalent cation transport, 906–915
defect of cell membranes and hypertension: mechanism of pathogenetic relation, 934–936
intracellular Ca^{2+} and monovalent cation transport: Ca^{2+}-dependent K^+ channels, 928–930
structural and molecular bases for alterations of membrane functions, 930–933
brain energy metabolism and, 121–126
during spreading depression, 126
energy requirement for ion transport, 121–122
ion movements and energy metabolism in anoxia, 122–126
mechanisms in thick ascending limb (TAL) of Henle's loop, 760–797
cotransport systems in TAL cell, 775–779
factors modulating reabsorption of NaCl, 782–789
integrated function of TAL cell, 781–782
intracellular activities in TAL cell, 780
metabolism of TAL cell, 779–780
permeability properties of TAL segment, 766–775
transport of Ca^{2+} and Mg^{2+}, 789
transport of HCO_3^-, 791
transport of K^+, 790
transport of NH_4^+, 791–792

Ions
concentrations in brain, 102–107
determination by ion-sensitive microelectrode, 102–103
interstitial concentrations, 103–104
intracellular concentrations, 104–107
distribution in brain, effect of anoxia on, 101–148
inorganic ions, influence on cold hardiness in insects, 823–824
interstitial ion composition changes in brain, 107–121

brain interstitial space volume during anoxia, 117–119
changes during anoxia, 108–116
changes during nervous activity, 107–108
changes during spreading depression of Leão, 116–117
interstitial ion inventory, 120–121
ion changes in brain during anoxia, comparative aspects of, 126–128
cold-blooded animals, 127–128
gyrencephalic animals, 128
regional differences in brain, 128
young animals, 126–127
ion changes in neurons and glial cells during anoxia, 128–133
glial cell membrane potential, 129
mechanisms of membrane changes, 130–133
nerve cell membrane potential, 129
synaptic transmission, 129–130
ion derangement in brain in anoxia, reversibility of, 135–138
blood flow and energy metabolism, 136–137
role of ion homeostasis in anoxic brain damage, 137–138

K

Kidney
denervation of, influence on renal phosphate transport, 458
extraction of natriuretic activity from, 695–697
extracts containing natriuretic activity, Na^+ transport or Na^+-K^+-ATPase inhibitory activity of, 726–727
handling of phosphate, 431–466
in chronic renal failure, 459
in primary hypophosphatemic rickets, 459–460
in pseudohypoparathyroidism, 460
primary pathophysiology of, 459–460
segmental reabsorption, 432–435
toad epithelial membranes, Na^+- and K^+-permeable hybrid channels in, 892
transport of phosphate, cellular mechanisms, 435–441
role of basolateral membrane, 441
role of brush border membrane, 436–440
role of intracellular phosphate, 440–441
transport of phosphate, influencing factors, 441–459
availability of dietary and metabolic acid base, 452–456
availability of dietary and metabolic phosphate, 449–452
calcitonin, 456
extracellular fluid volume, 453–459
glucose and solutes, 458
growth hormone and thyroid hormone, 457
insulin, 457
other factors, 456–459
parathyroid hormone, 441–449
renal denervation and Na^+ transport, 458
vitamin D, 457
Kidney failure, chronic
evidence of digoxin-like material in plasma and urine of patients with, 743–744
experiments demonstrating presence of substance inhibiting Na^+ transport in plasma and urine extracts from patients with, 731–734
extraction of natriuretic activity from humans and animals with, 702–704
plasma and urine, 704
renal phosphate handling in, 459
Kidney tubules
see also Loop of Henle
segmental reabsorption of phosphate, 432–435

L

Lactates
plasma level changes in pregnancy during exercise, 6–8
Lipids
integrated metabolism in fetus, 401–402
metabolism in fetal liver, 368–369
Liver
extraction of natriuretic activity from, 697–698
fetal metabolism in, 361–373
amino acid metabolism, 369–370
carbohydrate metabolism, 362–368
development of hormone sensitivity, 372–373
lipid metabolism, 368–369
mitochondrial metabolism, 371–372
protein and nucleic acid metabolism, 370–371
structural development, 361
metabolism of copper and zinc, 261–272
efflux from hepatocytes, 270–272

Liver (*continued*)
intracellular comparmentalization, 268–270
uptake from plasma, 261–268
Liver circulation
transfer of intestinally absorbed copper and zinc to, 254–255
Loop of Henle
thick ascending limb (TAL) of, ion transport mechanisms in, 760–797
cotransport systems in TAL cell, 775–779
factors modulating reabsorption of NaCl, 782–789
integrated function of TAL cell, 781–782
intracellular activities in TAL cell, 780
metabolism of TAL cell, 779–780
permeability properties of TAL segment, 766–775
transport of Ca^{2+} and Mg^{2+}, 789
transport of HCO_3^-, 791
transport of K^+, 790
transport of NH_4^+, 791–792
Lung
development in fetus, 394–399
microscopic development, 394–395
pulmonary surfactant synthesis, 395–399
Lysyl oxidase
role in copper importance in maintaining connective tissue integrity, 626–627

M

Magnesium
Mg^{2+} transport in thick ascending limb of Henle's loop, 789
Manganese
importance in maintaining connective tissue integrity, 630–631
examples of diet-gene interrelationships, 631
relationship to proteoglycan metabolism, 630–631
Maternal-fetal exchange
respiration and blood gases during maternal exercise, 21–22
Mechanoreceptors
of intestinal mucosa, comparison with intestinal chemoreceptors, 221
Membrane potentials
see also Action potentials; Evoked potentials
neuronal and glial cell potential changes during anoxia, 129
Metallothionein
biosynthesis of, 273–284
dietary control, 277–279
hormonal regulation, 279–281
regulation by metals, 274–277
role of stress factors and mediators, 281–284
degradation of, 284–286
function of, 286–287
properties of, 272–273
Microvilli
brush border membrane in renal phosphate transport, 436–440
alkaline phosphatase, 438–439
HPO_4^{2-} or $H_2PO_4^-$, 437–438
nicotinamide adenine nucleotides, 439–440
Mitochondria, liver
metabolism in fetus, 371–372
Monoamine oxidase inhibitors
effects on connective tissue integrity, 633–634
Mucous membrane
apical Na^+ conductance, modification by extra- and intracellular components, 868–880
intracellular inorganic ionic blockers, 869–871
mucosal anions and Na^+ transport, 868–869
mucosal inorganic blockers, 869
mucosal inorganic cationic stimulators, 874–876
mucosal organic blockers, 871–874
mucosal organic stimulators, 876–880
Muscle contraction
see also Myocardial contraction
differentiation of contractile properties of skeletal muscle in fetus, 384–386
Muscle proteins
see also Actomyosin; Myosin
in fetal heart, 374–376
Muscle, smooth
muscular tension receptors in viscera, comparison with intestinal chemoreceptors, 221
Muscles
ATPase mechanisms in, thermodynamic analysis of, 467–551
energetic characterization of actomyosin ATPase system, 499–518
energetics of ATP hydrolysis, 483–486
interpretation of data, 478–483

kinetic mechanism of ATP hydrolysis by myosin and actomyosin, 486–493
mechanism and energetics of ATP hydrolysis by Ca^{2+}-pump ATPase, 519–537
methods of analysis, 469–475
reaction calorimetry, 475–478
development in fetus, 381–391
differentiation of contractile properties, 384–386
humoral and neural regulation of muscle maturation, 389–391
metabolism of developing muscle, 386–389
ultrastructural and molecular development, 381–384

Myelin sheath
myelination of perinatal brain, 392–393

Myocardial contraction
neural and humoral regulation in fetus, 376–377

Myosin
hydrolysis of ATP, calorimetry of, 493–499
hydrolysis of ATP, kinetic mechanism, 486–493

Myotonia
see also Myotonia atrophica; Myotonia congenita
glossary, 311–312
influence of motor innervation on, 344–346
membrane changes in myotonic cells, 324–341
chondrodystrophic myotonia, 337
model myotonias, electrical and mechanical properties, 341–344
myotonia induced by anthracene-9-carboxylic acid, 341–342
myotonia induced by 20,25-diazacholesterol, 342–344
myotonic syndromes, classification of, 312–314
signs in, quantitation of, 314–321
myotonic runs and related EMG signs, 317–321
myotonic stiffness, 315
myotonic weakness, 315–316
percussion myotonia, 316–317
signs in, variability of, 321–324
chemical agents influencing myotonia, 321–322
influence of environmental factors, 324
influence of temperature, 323–324
warm-up phenomenon, 322–323

Myotonia atrophica
features and symptoms of, 337–341
cultured muscle, 338–339
insulin sensitivity, 340–341
membrane ATPases, 339
muscle cell parameters, 337–338
red blood cell membrane, 339–340
therapy, 341

Myotonia congenita
see also Paramyotonia congenita
membrane changes in, 326–332
action potential, 328
Cl^- channels, 329–330
history of low Cl^- conductance theory, 326
membrane composition, 331
Na^+ and K^+ channels, 330–331
passive properties of myotonic muscle fibers, 326–327
treatment, 331–332
tubular K^+ accumulation, 328–329

Myotonic dystrophy: *see* Myotonia atrophica

N

NAD^+
role in renal brush border membrane phosphate transport, 439–440

Na^+-K^+-ATPase: *see* Adenosine triphosphatase, sodium, potassium

Natriuretic hormone
circulating hormone, site and mechanism of action of, 706–708
concept of, 658–759
control of, afferent mechanisms involved in, 680–685
distension of left auricle, 683–685
digoxin-like activity, 742–744
evidence of digoxin-like material in plasma and urine of patients with chronic renal failure, 743–744
evidence that expansion of body fluids is associated with rise in concentration of digoxin-like substance in normal humans and animals, 742–743
extracts from humans and animals with chronic renal failure, 702–704
plasma and urine, 704
extracts from normal humans and animals, 685–702
atria, 700–702

Natriuretic hormone (*continued*)
brain, 698–700
kidney, 695–697
liver, 697–698
plasma, 685–689
urine, 689–695
Na^+ transport inhibitory activity of, 723–736
experiments demonstrating presence of substance inhibiting Na^+ transport in plasma and urine extracts from patients with chronic renal failure, 731–734
Na^+ transport or Na^+-K^+-ATPase inhibitory activity in brain extracts, 727–731
Na^+ transport or Na^+-K^+-ATPase inhibitory activity of kidney tissue extracts, 726–727
Na^+ transport or Na^+-K^+-ATPase inhibitory activity of normal urine extracts, 723–726
natriuretic activity of whole plasma, 659–671
early experiments suggesting plasma might have natriuretic properties when body fluids are expanded, 659–664
experiments demonstrating natriuretic properties in whole blood or plasma from normal humans and animals when blood volume is expanded, 664–671
site of production of, 671–680
experiments demonstrating that brain is directly involved in hormonal mechanisms controlling Na^+ excretion, 674–676
experiments demonstrating that brain or hypothalamus is involved in control of urinary Na^+ excretion, 673–674
extracts from various sites, 676–680
hypothalamus, 672–673
thyroid, parathyroid, adrenal, and pituitary glands, 671–672
Nervous system
see also Central nervous system
neural tissues, biochemical effects of corticosteroids on, 946–1020
uptake and disposition of corticosteroids in, 947–962
corticosteroid receptors in neural tissues, 956–962
entry into brain, 948–949
methods of study, 947–948
regional and cellular localization, 949–956
Neuroglia
differentiation of, corticosteroid regulation of, 981–990
glutamine synthetase, 981–984
glycerol-3-phosphate dehydrogenase, 984–988
other glial enzymes, 988–990
glial cell changes during anoxia, 128–133
Neurohypophysis: *see* Pituitary gland, posterior
Neurons
anoxia causing changes in, 128–133
peptide-secreting neurons, biochemistry of, 553–606
Neuropeptides: *see* Peptides
Neuroregulators
differentiation and development of, corticosteroid regulation of, 966–981
acetylcholine, 980–981
catecholamines, 966–979
serotonin, 979–980
in CNS of adult organisms, effects of corticosteroids on, 990–1001
acetylcholine, 997–998
amino acids, 998–1000
catecholamines, 990–992
peptides, 1000–1001
serotonin, 993–997
Neurotransmitters: *see* Neuroregulators
Nicotinamide adenine dinucleotide: *see* NAD^+
Norepinephrine
effects on vascular reactivity in normal rat in relation to effect of Na^+ intake, 738
Nucleic acids
metabolism in fetal liver, 370–371

O

Opioid peptides: *see* Endorphins
Oxygen consumption
fetal response during maternal exercise, 19–20
maternal response during exercise in pregnancy, 2–5, 7, 17–18
uterine oxygen consumption, 17–18
Oxytocin
biosynthesis and transport of, 555–556, 558–559
secretion of, regulation of, 580–581

P

Pancreatic juice
secretion of, role of intestinal chemoreceptors in control of, 229
Paralysis, familial periodic
hyperkalemic periodic paralysis, muscle properties and treatment of, 335–337
Paramyotonia congenita
membrane changes in, 332–335
membrane composition, 335
membrane parameters, 332–334
paramyotonia associated with myotonia, 334
paramyotonic stiffness and weakness, 334–335
Parathyroid glands
unlikely as source of plasma natriuretic activity, 671–672
Parathyroid hormones
effects on renal phosphate transport, 441–449
cellular mechanisms, 446–449
segmental action, 442–446
Penicillamine
effect on connective tissue integrity, 634–635
Peptides
neurohypophysial peptides, biosynthesis and transport, 555–559
cell-free studies, 557
in vivo biosynthesis of vasopressin, oxytocin, and their neurophysins and their transport to descending sites, 558–559
in vivo studies, 557–558
nucleic acid studies, 558
precursor hypothesis, 556–557
vasopressin, oxytocin, and their neurophysins, 555–556
neurohypophysial peptides, storage and release, 577–581
electrically stimulated secretion, 577
readily releasable pool, 579–580
regulation of oxytocin and vasopressin release, 580–581
stimulus-secretion coupling, 578–579
neuropeptide inactivation, 587–590
enkephalinase, 587–589
neuropeptides, interactions with their targets, 590–596
neurotransmitter peptides in CNS of adult organisms, effects of corticosteroids on, 1000–1001
peptide-secreting neurons, biochemistry of, 553–606
somatostatins, biosynthesis of, 563–569
cell-free studies, 566
molecular biology, 566–568
studies with radiolabeled amino acids, 568–569
somatostatins, interactions with their targets, 591–593
somatostatins, storage and release, 581–584
characterization of released somatostatin-like immunoreactivity, 582–583
regulation of release, 583–584
tachykinin peptides, 559–563
dorsal root ganglia substance P biosynthesis, 561–562
precursors to tachykinins, 560–561
striatonigral substance P biosynthesis, 562–563
substance P biosynthesis, 561
Peptides, opioid: *see* Endorphins
Phenylethanolamine *N*-methyltransferase
activity of, effects of corticosteroids on, 966–973
Phosphates
availability from diet or metabolism, influence on renal phosphate transport, 449–452
renal handling of, 431–466
in chronic renal failure, 459
in primary hypophosphatemic rickets, 459–460
in pseudohypoparathyroidism, 460
primary pathophysiology of, 459–460
segmental reabsorption, 432–435
transport in kidney, cellular mechanisms of, 435–441
basolateral membrane, 441
brush border membrane, 436–440
intracellular phosphate, 440–441
transport in kidney, influencing factors, 441–459
availability of dietary and metabolic acid base, 452–456
availability of dietary and metabolic phosphate, 449–452
calcitonin, 456
extracellular fluid volume, 458–459
glucose and solutes, 458
growth hormone and thyroid hormone, 457
insulin, 457
other factors, 456–459

Phosphates (*continued*)
parathyroid hormone, 441–449
renal denervation and Na^+ transport, 458
vitamin D, 457
Physical fitness
influence on blood volume responses to thermal stress and exercise, 187–192
Pituitary gland
unlikely as source of plasma natriuretic activity, 671–672
Pituitary gland, posterior
peptides of, biosynthesis and transport, 555–559
cell-free studies, 557
in vivo biosynthesis of vasopressin, oxytocin, and their neurophysins and their transport to descending sites, 558–559
in vivo studies, 557–558
nucleic acid studies, 558
precursor hypothesis, 556–557
vasopressin, oxytocin, and their neurophysins, 555–556
peptides of, storage and release, 577–581
electrically stimulated secretion, 577
readily releasable pool, 579–580
regulation of oxytocin and vasopressin release, 580–581
stimulus-secretion coupling, 578–579
Placenta
responses to maternal exercise, 24–27
Polyols
in freeze-avoiding insects, 805–809
accumulation of, 805–806
effect on supercooling points of, 806–809
other effects in, 809
in freeze-tolerant insects, 818–820
accumulation of, 818
effect on cold hardiness in, 819
effect on supercooling points of, 818
mechanism of cryoprotective effect, 819–820
involvement in cold hardening in insects, 827–828
Portal circulation: *see* Liver circulation
Posture
effects on blood volume, 158–167
distinguishing postural from exercise hemoconcentration, 158–162
effects at rest in heat, 162–163
Potassium
see also Hyperkalemia
accumulation in muscle tubules in myotonia congenita, 328–329
K^+ transport in thick ascending limb of Henle's loop, 790
Potassium channels: *see* Ion channels
Pregnancy
fetal responses to maternal exercise, 19–24, 27–29
fetal outcome, 27–29
maternal responses to exercise during, 1–18
body temperature, 9–10
cardiac-output distribution, 15–17
circulation, 12–15
endocrine changes, 8, 9
energy expenditure, 6
metabolism, 6–8
oxygen consumption, 2–5, 7
physical working capacity, 5–6
respiration and blood gases, 10–11
uterine oxygen consumption, 17–18
Prostaglandins
effect on Na^+ permeability in epithelial cell membranes, 887–888
Protein-calorie malnutrition
effects on connective tissue integrity, 644–645
Proteins
see also Blood proteins; Connective tissue proteins; Muscle proteins
metabolism in fetal liver, 370–371
Proteoglycans
biosynthesis and metabolism of, 622–623, 630–631
manganese relationship to, 630–631
structural features of, 621–622
Pseudohypoparathyroidism
renal phosphate handling in, 460
Pulmonary surfactant
biosynthesis in fetus, 395–399
Pyridoxine
role in maintaining connective tissue integrity, 637–638

R

Receptors, endogenous substances
corticosteroid receptors in neural tissues, 956–962
Receptors, endorphin
multiple opiate receptors, 593–594
Receptors, sensory
see also Chemoreceptors; Mechanoreceptors; Thermoreceptors
muscular tension receptors in viscera,

comparison with intestinal chemoreceptors, 221
Respiration
changes in pregnancy in response to exercise, 10–11
Riboflavin
role in maintaining connective tissue integrity, 639
Rickets
primary hypophosphatemic, renal handling of phosphate in, 459–460

S

Saliva
secretion of, role of intestinal chemoreceptors in control of, 229–230
Serotonin
differentiation and development of, effects of corticosteroids on, 979–980
in CNS of adult organisms, effects of corticosteroids on, 993–997
Sex factors
influence on blood volume response to thermal stress and exercise, 197–199
Skin
frog epithelial membranes, K^+-permeable channels in, 850–859
larval and adult frog epithelial membranes, Na^+- and K^+-permeable hybrid channels in, 889–892
Sodium
Na^+ transport inhibitory activity, 708–736
experiments demonstrating presence of substance inhibiting Na^+ transport in plasma and urine extracts from patients with chronic renal failure, 731–734
experiments with harvested proximal tubule fluid from volume-expanded animals tested in vivo, 716–717
Na^+ transport or Na^+-K^+-ATPase inhibitory activity in brain extracts, 727–731
Na^+ transport or Na^+-K^+-ATPase inhibitory activity of blood or plasma extracts from volume-expanded normal humans or animals, 717–723
Na^+ transport or Na^+-K^+-ATPase inhibitory activity of kidney tissue extracts, 726–727
Na^+ transport or Na^+-K^+-ATPase inhibitory activity of normal urine extracts, 723–726
Na^+ transport or Na^+-K^+-ATPase inhibitory activity of whole blood or plasma from volume-expanded normal humans or animals, 709–716
relation to vascular reactivity, 736–744
effect of acute changes in blood volume, 740–741
effect of alterations in external Na^+ concentration, 737
effect of imposing a persistent difficulty in excreting Na^+, 738–740
effect of Na^+ intake in normal rat, 737–738
further evidence that acute volume expansion may increase concentration of circulating substance that controls vascular reactivity, 741–742
renal transport of, influence on renal phosphate transport, 458
urinary excretion and controlling mechanisms, 673–676
experiments demonstrating that brain is directly involved in hormonal mechanisms in, 674–676
experiments demonstrating that brain or hypothalamus is involved, 673–674
Sodium channels: *see* Ion channels
Sodium chloride
reabsorption in thick ascending limb of Henle's loop, modulating factors, 782–789
hormonal control, 784–786
interaction of diuretics, 786–789
luminal NaCl load, 782–783
peritubule factors, 783–784
Somatostatin: *see* Peptides
Somatotropin
influence on renal handling of phosphate, 457
Spreading cortical depression
energy metabolism of brain during, 126
interstitial ion concentrations during, 116–117
membrane changes during, 133–135
Stress
role in metallothionein biosynthesis, 281–284
Stress, thermal
effects on blood volume in humans, 149–209
early history of studies on, 152
effects of posture at rest in heat, 162–163

Stress, thermal (*continued*)
individual differences in responses, 185–199
influence of altitude, 192
influence of gender, 197–199
influence of heat acclimatization on, 186–187
influence of hydration status, 193–197
influence of physical fitness on, 187–192
influence of status of subject on, 185–199
Is there a limit to hemoconcentration? 164–167
mechanisms of hemodilution and hemoconcentration, 151–152
thermal stress at rest, 152–154
use of hematocrit and hemoglobin in measurement of, difficulties in interpretation, 167–176
use of plasma protein content in measurement of, difficulties in interpretation, 176–185
Substance P
biosynthesis of, 561–563
striatonigral biosynthesis, 562–563
Substantia nigra
striatonigral substance P, biosynthesis of, 562–563
Synapses
synaptic transmission changes during anoxia, 129–130

T

Tachykinin: *see* Peptides
Temperature
see also Body temperature; Cold; Heat; Thermodynamics
influence on signs in myotonia, 323–324
Thermal stress: *see* Stress, thermal
Thermodynamics
analysis of muscle ATPase mechanisms, 467–551
energetic characterization of actomyosin ATPase system, 499–518
energetics of ATP hydrolysis, 483–486
interpretation of data, 478–483
kinetic mechanism of ATP hydrolysis by myosin and actomyosin, 486–493
mechanism and energetics of ATP hydrolysis by Ca^{2+}-pump ATPase, 519–537
methods of analysis, 469–475
reaction calorimetry, 475–478
Thermoreceptors
of viscera, comparison with intestinal chemoreceptors, 221
Thiamine
role in maintaining connective tissue integrity, 638–639
Thyroid gland
unlikely as source of plasma natriuretic activity, 671–672
Thyroxine
influence on renal handling of phosphate, 457
Tyrosine hydroxylase
activity of, effects of corticosteroids on, 973–976

U

Uterus
oxygen consumption in pregnancy during exercise, 17–18

V

Vasopressins
biosynthesis and transport of, 555–556, 558–559
control of NaCl reabsorption in thick ascending limb of Henle's loop, 784–786
effect on Na^+ permeability in epithelial cell membranes, 885–887
secretion of, regulation of, 580–581
Visual cortex
electrically evoked potentials in cat cortex, current source-density (CSD) analysis of, 56–63
comparison of electrically and visually evoked CSDs, 63–66
information from CSDs, 61–63
interpretation of CSDs, 57–60
relation between potentials and CSDs, 57
visually evoked potentials in cat cortex, current source-density analysis of, 63–75
comparison of electrically and visually evoked CSDs, 63–66
information from CSD analyses, 73–75
stimulus-specific properties of visually evoked CSDs, 66–73
Vitamin A
role in maintaining connective tissue integrity, 640–641

Vitamin C: *see* Ascorbic acid
Vitamin D
influence on renal handling of phosphate, 457
role in maintaining connective tissue integrity, 643–644
Vitamin E
role in maintaining connective tissue integrity, 642–643
Vitamin K
role in maintaining connective tissue integrity, 641–642

W

Water
bound water, role in freeze-tolerant insects, 820–821
Work
physical working capacity in pregnancy in response to exercise, 5–6

Z

Zinc
dietary levels, effects on metallothionein biosynthesis, 277–279
general functions, of, 259–261
hepatic metabolism of, 261–272
efflux from hepatocytes, 270–271
intracellular compartmentalization, 268–270
uptake from plasma, 265–268
importance in maintaining connective tissue integrity, 631–632
intestinal absorption of, 239–255
cellular uptake from intestinal lumen, 240–250
intracellular compartmentalization within intestinal cells, 250–254
transfer to portal circulation, 254–255
metabolism of, 238–309
plasma transport of, 256–259